ENGINE SPLAYER & PRESSURE WASHER







Nozzle length 62~109cm



Vertical 2-head nozzle for disinfection



Nozzle connection screw type G 1/4







Bubble type herbicide nozzle with cover for herbicide.

■Specification

| | Model | MS-ERH50* (Φ6 x 50m Hose) | MS-ERH100* (Ф6 x 100m Hose) | MS-ERH50H85* (Φ8.5 x 50m Hose) |
|-----------------------|----------------------------|--|-----------------------------|--------------------------------|
| PUMP | Туре | Twin Piston Type | | |
| | Max. Suction Volume | 8.6L/min | | |
| | Spray Volume | 1.0 ~ 2.9 L/min | 1.0 ~ 2.4 L/min | 1.1 ~ 4.8 L/min |
| | Max. Pressure (at Closing) | 3.0 MPa (30 kgf/m³) | | |
| | Nozzle | Bubble Type Herbicide 2-head Nozzle, Vertical Type 2-head Nozzle Bubble Type Herbicide 2-head Nozzle, Vertical Type 2-head Nozzle, Single Nozzle | | |
| | Delivery Hose | φ6 x 50 m (with Reel) | φ6 x100 m (with Reel) | φ8.5 x 50 m (with Reel) |
| | Туре | Forced Air-cooled 4-stroke Gasoline Engine Honda GX25 | | |
| | Displacement | 25 cc | | |
| ENGINE | Max. Rated Output/ rpm | 0.7 kW (1.0 PS) / 7000 rpm | | |
| | Fuel | Automotive Unleaded Gasoline | | |
| | Fuel Tank Capacity | Approx. 0.55 L | | |
| | Starting Method | Recoil Starter | | |
| | Opetating Time | Approx. 40 min | | |
| Net Weight | | 18 kg (40 lbs) | 21.5 kg (47 lbs) | 23 kg (51 lbs) |
| Gross Weight | | 25.5 kg (56 lbs) | 29.5 kg (65 lbs) | 30.5 kg (67 lbs) |
| Dimensions L×W×H (mm) | | $730 \times 460 \times 435$ | 730 × 460 × 435 | 700 × 460 × 435 |
| Packing Unit | | 1 | | |
| Accessories | | 1 Strainer, 2 Suction Hose φ10 x 2.5 m, 1 Remaining water Hose φ8 x 2.5 m, Extendable 2-head Nozzle (62 ~ 109 cm) | | |
| | | | | |

^{*}Japanese Domestic Model

Engine Pressure Washer

Double role for washing & weed removal




8m direct spray

For stuck dirt

4m spray

For washing mud

■ Performance Curve





Spray Gun 76cm

■Specification

| | Model | DM-30* | | |
|--------------------------|----------------------------|-------------------------------------|--|--|
| PUMP | Max. Pressure (at Closing) | 3.8 MPa (38 kgf/m²) | | |
| | Max. Suction Volume | 25 L/min | | |
| | Spray Volume | 19 L/min : In case of using | | |
| | Opray volume | *Spray gun (accessory) | | |
| | Suction Head | 3 m | | |
| | Rotations | 620 rpm | | |
| | Engine | Mitsubishi GB131 LN | | |
| | Туре | Air-cooled 4-stroke Gasoline Engine | | |
| | Displacement | 126 cc | | |
| 빌 | Max. Rated Output | 3.0 kW (4.2 PS) | | |
| ENGINE | Fuel | Automotive Unleaded Gasoline | | |
| Ш | Fuel Tank Capacity | Approx. 2.5 L | | |
| | Starting Method | Recoil starter | | |
| | Opetating Time | Approx. 2 hrs | | |
| | | 1 Strainer (with Hose band), | | |
| Accessories | | 1 Suction Hose 3 m (G1) | | |
| | | 1 Delivery Hose 10 m, | | |
| | | 1 Remaining Water Hose 3 m | | |
| | | (G1/2) | | |
| Net Weight | | 41.5 kg (91 lbs) | | |
| Gross Weight | | 52.5 kg (116 lbs) | | |
| Dimensions L×W×H (mm) | | 715 × 700 × 540 | | |
| Pa | cking Unit | 1 | | |
| *Japanese Domestic Model | | | | |

*Japanese Domestic Model